EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	485	((Nakai near2 Shinichi) or (Noguchi near2 Naohiko) or (Matsui near2 Shinichi) or (Nanba near2 Takaaki) or (Inoue near2 Ryuji)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 13:23
\$2	2	((Nakai near2 Shinichi) or (Noguchi near2 Naohiko) or (Matsui near2 Shinichi) or (Nanba near2 Takaaki) or (Inoue near2 Ryuji).in. (storag\$4 content (identifier or id) encrypt\$4). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 13:24
S3	995	713/193.cols. @ad<"20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 13:29
S 4	11	713/193.cots. @ad<"20020329" (storage near (section or portion or area or partition or block) with (id or identifier or unique)) (lenorypt\$4 or secur\$4) near5 (section or portion or area or partition or block) with (content or data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 13:34
S5	13	"2001039620".pn. or "6170060".pn. or "20020031352".pn. or "2002002413".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 14:35
S6	44	"713"/\$.cots. @ad<"20020329" (storage near (section or portion or area or partition or block) with (id or identifier or unique))((encrypt\$4 or secur\$4) near5 (section or portion or area or partition or block) with (content or data or program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 14:54
S7	136	"713"/\$.csis. @ad<"20020329" (((id or identifier or unique or (serial adj number) near6 (device or apparatus or station or machine)) with (id or identifier or unique or name) near6 (content or program or package or music or game or video)) with stor\$4 with (encrypt\$4 near5 (id or identifier or unique or content or program)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 14:59

S8	11	"713"/193.cds. @ad. "20020329" (storage near (section or portion or area or partition or block) with (id or identifier or unique))((encrypt\$4 or secur\$4) near5 (section or portion or area or partition or block) with (content or data or program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	0 0 0	2008/03/19 15:01
S9	9	"713"/\$.ccls. (@adc "2002/0329" (storage near3 (area or section or portion or partition) with ((identifier or id or unique) with (program or content))) (encrypt54 with (content or program or movie or music or video) with (identifier or id or unique) with (device or apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	O O	2008/03/19 15:17
S10	22	(storage near3 (area or section or portion or partition) with ((identifier or id or unique) with (program or content)))(encrypt54 with (content or program or movie or music or video) with (identifier or id or unique) with (identifier or identifier or ide	US-PGPUB; USPAT; USPOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	0 0	2008/03/19 15:29
S11	32	(storage near3 (area or section or portion or partition) with ((identif\$7 or id or unique) with (program or content)))(encrypt\$\$\$4 with (content or program or movie or music or video) with (identif\$7 or id or unique) with (idevice or apparatus)) (@adc "20020329"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON The state of the state of th	2008/03/19 15:31
S12	19	\$10 not \$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 15:32
S13	10	\$11 not \$10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 15:48
S14	209	(stor\$5 near3 (area or section or portion or partition)/(identifier or id or unique) with (device or apparatus) ((identifier or id or unique) with (program or content or media) with encrypt\$4 with (device or apparatus)) (@adc*20020329")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 15:54

S15	188	(stor\$5 near3 (area or section or portion or partition)) (identifier or id or unique) with (device or apparatus) ((identifier or id or unique) with (program or content or media) with encrypt\$4 with (device or apparatus)) (encrypt\$4 near3 (content or id or identif\$7 or unique)) (@ad<*20020329*)	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	AND	0 0 10 10 10 10 10 10 10 10 10 10 10 10	2008/03/19 15:55
S16	59	[stor\$5 near3 (area or section or portion or partition)) (identifier or id or unique) with (device or apparatus) ((identifier or id or unique) with (program or content or media) with encrypt\$4 with (device or apparatus)) (encrypt\$4 near3 (content or id or identif\$7 or unique)) (authenticat\$4 with access\$4) (@ad<*20020329*)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	AND	NON Transminantian management of the second	2008/03/19 15:56
S17	71	(stor\$4 near5 (area or section or portion or partition or part) with (identif\$7 or id or unique or (serial adj number)) near5 (device or apparatus or host or station))(encrypt \$4 near5 (program or content or music or game or video) with (id or identif\$7 or unique)) (@ad<*20020329*)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	O C	2008/03/19 16:53
S18	58	S17 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 16:57
S19	42	(stor\$4 near5 (area or section or portion or partition or part) with (identif\$5' or id or unique or (serial adj number)) near5 (device or apparatus or terminal or host or station)) (encrypt\$4' near5 (program or content or music or game or video) with (id or identif\$5' or unique) with (apparatus or terminal or device or host or station)) (@ad<*20020329")	US-PGPUB; USPAT; USOCR; FPRS; EPG; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/19 17:02
S20	51	(((stor\$4 or dis\$2 or drive) near5 (area or section or portion or partition or part) with (identif\$7 or id or unique or (serial adj number)) near5 (device or apparatus or terminal or host or station))(encrypt \$4 near5 (program or content or music or game or video) with (id or identif\$7 or unique) with (apparatus or terminal or device or host or station))(@ad<"20020329")	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 09:24

S21	***************************************	((stor\$4 or dis\$2 or drive) near5 (area or section or portion or part)) ((identi\$7 or id or unique or (serial adj number)) near5 (device or apparatus or terminal or host or station)) (encrypt\$4 near5 (program or content or music or game or video) with (id or identi\$57 or unique) with (apparatus or terminal or device or host or station)) ((secur\$4 or encrypt\$4 or private) with (area or section or portion or partition or part))(@ad	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND		2008/03/20 09:28
S22	166	\$21 not \$20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 09:32
S23	184	(((id or identifis? or unique) near3 ((device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifis? or unique))(stor\$4 near4 (id or identifi\$7 or unique) with (device or terminal or apparatus or phone)) ((@ad<*20020329*)	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:43
S24	143	\$23 not \$22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:45
S25	888	((id or identifis? or unique) near3 (device or terminal or apparatus or phone or process\$4))(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifis? or unique) near5 (device or terminal or apparatus or phone))(stor\$4 near4 (id or identifis? or unique) with (device or terminal or apparatus or phone))(adex or terminal or apparatus or phone))(adex or terminal or apparatus or phone))(adex "200203291")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 11:47

S26	***************************************	((id or identifi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4)(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifi\$7 or unique) near5 (device or terminal or apparatus or phone)))((stor\$4 or memory or dis\$2 or drive) near4 (id or identifi\$7 or unique) with (device or terminal or apparatus or phone)) ((@ad<*20020329*)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OZ	2008/03/20 11:48
\$27	32	((id or identifi\$7 or unique) near3 (device or terminal or apparatus or phone or process\$4)(encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifi\$7 or unique) near5 (device or terminal or apparatus or phone))((stor\$4 or memory or dis\$2 or drive) near4 (id or identifi\$7 or unique) with (device or terminal or apparatus or phone))((idintification near data) ((identification near data)	US-PGPUB; USPAT; USPAT; USPAT; EPO; JPO; DEFWENT; IBM_TDB	AND	ON ON	2008/03/20 11:49
\$28	6	((id or identifis? or unique) near3 (device or terminal or apparatus or phone or process\$4) (encrypt\$4 near3 (content or program or music or video or game or movie or software or package) with ((using or used) with (id or identifis? or unique) near3 (device or terminal or apparatus or phone)) (stor\$4 or memory or dis\$2 or drive) near4 (id or identifis? or unique) with (device or terminal or apparatus or phone) (identification near data)((id or identification near data)((id or identification apparatus or phone) (identification or unique) near (device or terminal or apparatus or phone or host))(@ack.*20020329;	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON ON	2008/03/20
S29	5	"2002002413".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:54
S31	603	tokue.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:55

S36	4	tokue.in. encrypt\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:56
S37	2	"20010039620".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 12:58
S38	2053	(((id or identifis? or unique or name) near3 (device or phone or apparatus or terminal or portable))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifis? or unique)) ((@ad<*20020329*)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 13:41
S39	546	((id or identifi\$7 or unique or name) near3 (device or phone or apparatus or terminal or portable) (lencrypt\$4 near5 (content or data or program or nusic or video or game or movie) with (id or identifi\$7 or unique)) (identification near data) (@adc *20020328*)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/20 13:44
S40	75	((id or identifi\$7 or unique or name) near3 (device or phone or apparation terminal or portable) (encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique) ((identification near data) (encrypt\$4 with using with (id or identifier or unique or name) with (device or apparatus or terminal or portable)) (@ead<*20020329*)	US-PGPUB; USPAT; USCOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	AND	ON	2008/03/20 13:45
S41	151	((id or identifi\$7 or unique or name) near5 (device or phone or apparation terminal or portable or handheld or cellular))(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (title near3 content) ((decode\$4 or decrypt\$4) with (id or identifi\$57) with (id or identifi\$57) or unique)) ((@adc*20020329*)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 15:09
S42	81	("726"/\$.cols. or "713"/\$.cols.)((id or identifi\$7 or unique or name) near\$ (device or phone or apparatus or terminal or portable or handheld or cellular))(encrypt\$4 near\$ (content or data or program or music or video or game or move) with (id or identifi\$7 or unique)) (title near\$ content) ((idecode\$4 or decrypt\$4) with (id or identifi\$7))(@ad<*2002.0326)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/23 15:10

S43	***************************************	["726"/\$.cds. or "713"/\$.cds.)((id or identifi\$7 or unique or name) near5 (device or phone or apparatus or terminal or portable or handheld or cellular)(encrypt\$4 near5 (content or data or program or music or video or game or movie) with (id or identifi\$7 or unique)) (title near3 content) ((decode\$4 or decrypt\$4) with (id or identifi\$7)((encrypt\$4 or encod\$4) near5 (content or information or information gwith ((id or identifi\$7)) (encrypt\$4 or encod\$4) near5 (content or information gwith ((id or identifi\$7)) near3 (device or apparatus)))(@adc "20020329")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	AND	O	2008/05/23
\$44	852	((id or identifis? or unique or name or (serial adj number) or (phone adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or video) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifis? or unique or name or (serial adj number) or (phone adj number) or (pky) near5 (device or phone or apparatus or terminal or portable or PDA or station)) (@adc. *20200329")	US-PGPUB; USPAT; USOOR; PPPS; EPO; JPO; DEFWENT; IBM_TDB	AND	Signatura de la constanta de l	2008/05/24
S45	392	("726"/\$.cols. or "713"/\$.cols. or "700"/\$.cols.) ((id or identifi\$7 or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or videop) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifi\$5" or unique or name or (serial adj number) or (phone adj number) or (key)) near3 (device or phone or apparatus or terminal or portable or PDA or station)) (@ad<"20020329")	US-PGPUB; USPAT; USOOR; PPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/24

S46	***************************************	['726'\\$.cots. or "713'\\$.cots. or "700'\\$.cots.\()(d or i dentiti\\$'\\$ or unique or name or (serial adj number) or (phone adj number) or (keyl) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\\$4 or encod\\$4) near5 (content or data or information or program or music or game or video)) ((encrypt\\$4 or encod\\$4) near5 (content or data or information) near5 using near5 (id or identif\\$5 or unique or name or (serial adj number) or (phone adj number) or (keyl) near3 (device or phone or apparatus or terminal or portable or PDA or station)) (title near5 content) (@adc "2002032\)	US-PATE USPAT: USPAT: USPAT: USPAT: USPAT: USPAT: USPAT: USPATE U	AND	ON	2008/05/24
S47	39	[((id or identifits) or unique or name or (serial adj number) or (phone adj number) or (keyn) near3 (device or phone or apparatus or terminal or portable or PDA or station) with (encrypt\$4 or encod\$4) near5 (content or data or information or program or music or game or video)) ((encrypt\$4 or encod\$4) near5 (content or data or information) near5 using near5 (id or identifit\$7 or unique or name or (serial adj number) or (phone adj number) or (phone adj number) or (phone adj number) or PDA or station)) (authenticat\$4 with access\$4 with (area or portion or partition or section))	US-PGPUB; USPAT; USOOR; PPRS; EPO; JPO; DEFWENT; IBM_TDB	AND	ÓN	2008/05/24
S48	36	947 not 946	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/24 14:11
S49	68	((encrypt\$4 or encod\$4) near5 (content (data or information or title or key or right)) with (id or unique or name or ((serial or phone) adj number) or public or private) near8 (device or apparatus or termial or station or phone or handheld or portable or PC) (authenticat\$4 with access\$) (@adc-"20020329")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/24 15:03

S50	234	((encrypt\$4 or encod\$4) near5 (content AND (license or identification or information or title or key or right or program)) with (id or unique or name or ((serial or phone) adj number) or public or private) near8 (device or apparatus or termial or station or phone or handheld or portable or PC) ((@adc "20020329")	US-PGPUB; USPAT; USOOR; FPRS; EFO; JPO; DERWENT; IBM_TDB	AND	00 00 00	2008/05/24 15:15
S51	206	(((encrypt\$4 or encod\$4) near5 ((content AND ((lonse) or identification or information or title or key or right or program)) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)) ((@ad& "20020329")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OS	2008/05/24 15:16
S52	67	((encrypt\$4 or encod\$4) near5 (content AND (license or identification or information or title or key or right or program)) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC)) (encrypt\$4 near5 content with unique near5 device) ((@ad<*20020329")	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/24 15: 17
S53	625	((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or FC) ((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or FC). Jdm. ((@ad<*20020329*)	US-PGPUB; USPAT; USOOR; PPRS; EPO; JPO; DEFAWENT; IBM_TDB	AND	ON	2008/05/24 15:56

S54	146	((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) near5 (device or apparatus or termial or station or phone or handheld or portable or PC) ((encrypt\$4 or encod\$4) near5 (content or data or license or identification or information or title or key or right or program or music or game or video) with (id or unique or name or ((serial or phone) adj number) or public or private) enar5 (device or apparatus or termial or station or phone or handheld or portable or PC), lcm. (authenticat\$4 with access\$4) (@ad<"20020329")	US-PGPUB; USPAT; USCOR; FPPS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/24 15:57
S55	141	\$54 not \$52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/05/24 15:58

5/25/2008 9:53:35 AM

C:\ Documents and Settings\ Ipham7\ My Documents\ EAST\ Workspaces\ 10\ 10-509-125.wsp